

New Releases 2017/2018

**SAFETY
SOLUTIONS
FOR YOUR
PROTECTION**



New Releases 2017/2018

*Spectacles | Full-View Safety Goggles
Safety Eyewear for Spectacle Wearers*

In this catalogue

INFIELD Safety		Page
○ The company	Company Profile: INFIELD® – Safety Solutions for your protection	3

NEW RELEASES 2017/2018

PLASTIC FRAME SPECTACLES



FLEXOR PLUS
Page 4-5



FLEXOR PLUS OUTDOOR-/SPORT
Page 6-7



MILOR
Page 8-9

FULL-VIEW SAFETY GOGGLES



DEFENDOR
Page 10-11



PANTOR
Page 12



PANTOR SHIELD
Page 13

SAFETY EYEWEAR FOR SPECTACLE WEARERS



VISION 12 SMALL
Page 14-15



OPTOR S
Page 16



OPTOR XXS
Page 17



OPTOR PLUS
Page 18-19



OPTOR XXS PLUS
Page 20

COMING SOON

Company Profile

INFIELD – Safety Solutions for your protection!

INFIELD Safety is a manufacturer of tailored, high-quality safety spectacles and individual hearing protection devices. Since its inception in the 1990s INFIELD SAFETY has specialized in all issues concerning vision in the workplace and been a major presence in the market for personal protective equipment (PPE) products.

Particularly in the provision of safety spectacles for spectacle wearers (corrective protection glasses) INFIELD Safety now leads the market in Germany. For over 25 years great emphasis has been placed on functionality and design in the manufacture and development of safety spectacles. Supplying glasses for use with visual display units is also becoming more and more important. Here too, INFIELD Safety offers individual solutions.

INFIELD Safety is a member of the Essilor Group, the global market leader in spectacle lenses. The success of the group, which operates in over 100 countries, is based on an old unbroken strategy of ongoing development for more than 160 years. From design to production INFIELD Safety develops a wide range of products that support, correct and protect the human eye.




INFIELD Safety is a member of the ESSILOR Group

Current brochures and information



Protection at work |
Eye protection
Product catalogue



Safety spectacles
for spectacle wearers
Product catalogue



OFFICE EYEWEAR
Information about computer eyewear
for Display Screen Equipment









FLEXOR PLUS **NEW**



Lightweight and super flexible

The ultra light **FLEXOR PLUS** is highly flexible and sits comfortably on your face without any pressure.

FLEXOR PLUS	24 g	GA 166 FT CE	Polycarbonate	100%	10 pcs.	Easy Fit Soft
Features	Weight	Code - version	Lens material	UV protection	Packing unit	Temple technology


Features & Quick Info			
	Extremely flexible and robust		Pressure-free fit due to soft materials
	Adjustable nose pads		Rubberized temples for slip-resistant fit
	Additional rubber strip protects against foreign bodies from above		Exceptionally light weight
	Unrestricted field of view		High shock absorption

Customized
**configuration or
branding** with colour
and logo on request

Fig. No.	VERSION		LENS PROPERTIES					FLEXOR PLUS Article no.
	Frame colour(s)		Coating(s)*		Colour		Code(s)	
[1]	Grey	Orange	HC		Clear	2C - 1,2	GA 1 FT K CE	9021 105
[2]	Grey	Orange	AF	AS	Clear	2C - 1,2	GA 1 FT N CE	9021 155
[3]	Grey	Turquoise	HC		Clear	2C - 1,2	GA 1 FT K CE	9022 105
[4]	Grey	Turquoise	AF	AS	Clear	2C - 1,2	GA 1 FT N CE	9022 155

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

FLEXOR PLUS **NEW**



The distance from the eye to the protective lens is adjustable. This ensures your eyelashes will always keep clear of the lens. In addition, the nose pads can be adapted to the width of the nose giving the perfect fit.




Robust: Protective eyewear is not just at risk from impact. It can be damaged by the daily stress. The **FLEXOR PLUS** is extremely flexible and always retains its correct shape.



Additional rubber strip: The additional rubber strip on the upper edge of the frame increases the safety for protection against foreign bodies penetrating from above



Anti-slip: The inside of the spectacle and the nose support is completely rubberized. This provides an extremely slip-resistant fit.



FLEXOR PLUS & FLEXOR PLUS OUTDOOR



FLEXOR PLUS with clear and tinted safety lenses

The FLEXOR PLUS models with clear safety lenses are available in scratch-resistant and anti-fog versions. The tinted and anit-fog FLEXOR PLUS OUTDOOR versions provide better contrast. They serve as glare or sun protection for outdoor activities.

FLEXOR PLUS OUTDOOR **NEW**



OUTDOOR-/SPORT

All Outdoor/Sport models can be found on our homepage.

FLEXOR PLUS OUTDOOR-/SPORT	24 g	GA 166 FT CE	Polycarbonate	100%	10 pcs.	Easy Fit Soft
Features	Weight	Code – version	Lens material	UV protection	Packing unit	Temple technology

Features & Quick Info						
Extremely flexible and robust				Pressure-free fit due to soft materials		
Adjustable nose pads				Rubberized temples for slip-resistant fit		
Additional rubber strip protects against foreign bodies from above				Exceptionally light weight		
Unrestricted field of view				High shock absorption		

Customized
configuration or
branding with colour
and logo on request

Fig. No.	VERSION		LENS PROPERTIES				FLEXOR PLUS OUTDOOR
	Frame colour(s)		Coating(s)*		Colour	Code(s)	Article no.
[1]	Black	Turquoise	AF	AS	Grey	5 - 2,5 GA 1 FT N CE	9023 625 AF
[2]	Navy Blue	Yellow	AF	AS	Amber	2 - 1,2 GA 1 FT N CE	9024 125 AF
[3]	White	Blue	AF	AS	Blue reflective	5 - 2,5 GA 1 FT CE	9025 130 AF
[4]	Brown	Red	AF	AS	Red/Brown reflective	2-3 GA 1 FT CE	9026 886 AF

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

MILOR **NEW**




[1][2]



Soft foam adaptor ensures higher safety when worn

The soft foam adaptor ensures perfect safety for the eye area in every working situation. Also the face is protected against injuries in frontal impacts.



Rubberized Easy Fit Soft temples for slip-resistant fit

The Easy Fit Soft temples with rubberized surface ensure comfortable and tight fit especially in sweaty working conditions.

MILOR	35 g	GA 166 FT CE	Polycarbonate	100%	10 pcs.	Easy Fit Soft
Features	Weight	Code – version	Lens material	UV protection	Packing unit	Temple technology

Features & Quick Info			
	Soft clip ensures comfort when worn		Very good eye cover
	Individually adjustable safety lens angle		Non-slip temple
	High protection even without softclip		Especially for tough industrial environments

Customized configuration or branding with colour and logo on request

Fig. No.	VERSION		LENS PROPERTIES				MILOR
	Frame colour(s)		Coating(s)*	Colour		Code(s)	Article no.
[1]	Blue	Grey	AF AS	Clear	2C - 1,2	GA 1 FT N CE	9232 155
[2]	Blue	Grey	HC AF AS	Clear	2C - 1,2	GA 1 FT, KN CE	9232 006

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

MILOR **NEW**



DEFENDOR

NEW



DEFENDOR -

The compact safety goggles

The full-view safety goggles of the **DEFENDOR** series are particularly compact and lightweight. Tight fit and unrestricted field of view make the **DEFENDOR** suitable for operations in dusty environments and handling fluids*.

Other innovative features, such as click lock and the indirect ventilation system show how practical we have developed these goggles. Spectacle wearers can easily insert the RX clip into the **DEFENDOR**.

A special direct-glazing version for spectacle wearers (non clip) will also be available shortly.



Soft face insert and click lock

With its particularly soft rubber face insert the **DEFENDOR** provides a tight wraparound seal. It can be worn for a range of activities, especially in liquid-containing environments. Special Click-Lock for putting on this light full-view safety goggle easily.



For spectacle wearers: RX-Clip

Spectacle wearers can fit the RX-Clip with their prescription lenses to the **DEFENDOR** quickly and easily.

DEFENDOR

NEW



OUTDOOR-/SPORT



DEFENDOR
Areas of application & use:
[1][2][3][4][5][6]
Liquids | dust *

All Outdoor/Sport models can be found on our homepage.

DEFENDOR	56 g	Certification pending	Polycarbonate	100%	5 pcs.	Elastic textile strap + Click
Features	Weight	Code – version	Lens material	UV protection	Packing unit	Headband

Features & Quick Info					
↺	Very light full-view safety spectacles			↺	Tight wraparound seal
↺	Easy to change safety lens			↺	Wide flexible textile strap ensures firm fit
↺	Unrestricted field of view for maximized comfort			↺	Extra-large nose pad for higher protection and comfort
↺	Indirect ventilation system against lens fogging			↺	Click-lock for easy use

Fig. No.	VERSION		LENS PROPERTIES						DEFENDOR	
	Frame colour(s)		Coating(s)*			Colour	Code(s)		Article no.	
[1]	Orange		AF	AS	PC	Clear	2C - 1,2	GA 1 B 9 N CE	9594 165	
[2]	Orange		HC	AF	AS	PC	Clear	2C - 1,2	GA 1 B 9 KN CE	
[3]	Orange			AF	AS	PC	Grey	5 - 2,5	GA 1 B 9 N CE	
[4]	Turquoise			AF	AS	PC	Clear	2C - 1,2	GA 1 B 9 N CE	
[5]	Turquoise			AF	AS	PC	Clear	2C - 1,2	GA 1 B 9 KN CE	
[6]	Turquoise			AF	AS	PC	Grey	5 - 2,5	GA 1 B 9 N CE	

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

Extra accessory	RX-Clip		Easy-to-fit clip insert		DEFENDOR RX-Clip	
	colour	Crystal	material/glass properties	Plastic for individual prescription	article no.	2018

*) Certification pending

PANTOR

NEW



PANTOR
Areas of application & use:
[1] Liquids | dust | molten metal



The special ventilation system and the anti-fog safety lens ensures clear view even in sweaty working conditions.

PANTOR	114 g	GA 166 BT 3 4 9 CE	Polycarbonate	100%	5 pcs.	Elastic textile strap + Click
Features	Weight	Code – version	Lens material	UV protection	Packing unit	Headband

Features & Quick Info						
Full-view safety goggle for a very wide range of applications			Tight wraparound seal			
Indirect ventilation system against lens fogging			Wide flexible textile strap ensures firm fit			
Easy to use click locking headband			Available with shatter-proof polycarbonate lenses			

Fig.	VERSION		LENS PROPERTIES				PANTOR
	No.	Frame colour(s)	Coating(s)*		Colour	Code(s)	Article no.
[1]		Crystal	AF	AS	Clear	2C - 1,2 GA 1 BT 9 N CE	9553 165
* Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic							

PANTOR SHIELD

NEW



PANTOR SHIELD
Areas of application & use:
[1] Liquids | dust | molten metal



The full-view safety goggle PANTOR with additional face shield ensures complete face safety.

PANTOR SHIELD	201 g	GA 166 BT 3 4 9 CE	GA 166 BT CE	Polycarbonate	100%	1 pc	Elastic textile strap + Click
Features	Weight	Code – version	Code – face shield	Lens material	UV protection	Packing unit	Headband








Features & Quick Info	
 Full-view safety goggles for a very wide range of applications	 Tight wraparound seal
 Indirect ventilation system against lens fogging	 Wide flexible textile strap ensures firm fit
 Easy to use click locking headband	 Available with shatter-proof polycarbonate lenses
 Additional face shield for face protection	

Fig.	VERSION		LENS PROPERTIES				PANTOR SHIELD
	No.	Frame colour(s)	Coating(s)*		Colour	Code(s)	Article no.
[1]		Crystal	AF	AS	Clear	2C - 1,2 GA 1 BT 9 N CE	9554 165
* Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic							

VISION 12 SMALL **NEW**



The "small" VISION 12







The **VISION 12 SMALL** especially has been developed to protect spectacle wearers with narrow faceshapes by all advantages of the "big" **VISION 12**.

VISION 12 SMALL **NEW**



VISION 12 SMALL	23 g	GA 166 F CE	Easy Fit Soft
Product features	Weight	Marking - Frame	Temple technology

Features & Quick Info			
↻	For narrow face shapes	↻	Sporty design
↻	Soft nose pads	↻	Very good coverage of the eye area
↻	Integrated side protection	↻	Available in 3 different colour designs
↻	Permanent air circulation	↻	High wearing comfort

FIG.	LENS	FRAME CHARACTERISTICS				VISION 12 SMALL
		Temple colour	Frame	Lens sizes	Sheet	
[1]	Customised visual strength(s)	 Crystal Black	 Crystal Black	17 mm	51 mm	2066 03 5117
[2]	Customised visual strength(s)	 Crystal Blue	 Crystal Blue	17 mm	51 mm	2066 05 5117
[3]	Customised visual strength(s)	 Grey	 Grey	17 mm	51 mm	2066 06 5117

OPTOR S **NEW**

OPTOR XXS **NEW**



Innovative Prescription Safety Eyewear -
The new OPTOR Series

Innovative temple technology: Like before the Softflex-Fit-templates are completely individually adjustable in length and at the temple tip - additionally now also in **inclination**. For varifocal spectacle lenses this feature offers the best customisation options.

The light frames of the **OPTOR** series are characterized by their very good eye cover and integrated side protection. The **OPTOR S** is especially well suited for stronger profile fit. For users with narrow faces-hapes, the **OPTOR XXS** is the right model.

Individually adjustable safety lens angle
By adjusting the temple in inclination the angle of the safety lens is adjustable for every face and every working situation.

Individually adjustable safety lens angle
By adjusting the temple in inclination the angle of the safety lens is adjustable for every face and every working situation.

OPTOR S	28 g	GA 166 F CE	Softflex Fit
Product features	Weight	Marking - Frame	Temple technology

OPTOR XXS	24 g	GA 166 F CE	Softflex Fit
Product features	Weight	Marking - Frame	Temple technology

Features & Quick Info			
➤	Ideal for stronger profile fit	➤	Classic design
➤	Very good coverage of the eye area	➤	Easy fitting and adjustable temple
➤	Integrated side protection	➤	Lightweight

Features & Quick Info			
➤	Lightweight	➤	Classic design
➤	For narrow face shapes	➤	Easy fitting and adjustable temple
➤	Very good coverage of the eye area	➤	Integrated side protection

FIG.	LENS	FRAME CHARACTERISTICS				OPTOR S
		Temple colour	Frame	Lens sizes	Sheet	
[1]	Customised visual strength(s)	Turquoise Grey	Smoke	16 mm	54 mm	9402 S
[2]	Customised visual strength(s)	Turquoise Grey	Crystal	16 mm	54 mm	9400 S

FIG.	LENS	FRAME CHARACTERISTICS				OPTOR XXS
		Temple colour	Frame	Lens sizes	Sheet	
[1]	Customised visual strength(s)	Turquoise Grey	Smoke	16 mm	50 mm	9402 XXS
[2]	Customised visual strength(s)	Turquoise Grey	Crystal	16 mm	50 mm	9400 XXS

OPTOR PLUS **NEW**



Optor Plus - for strong protection in tough industrial environments
With its additional soft adapter, the **OPTOR PLUS** provides perfect protection, especially in environments with strong dirt development.

OPTOR PLUS **NEW**



Even better coverage of the eye area by the additional adapter

Individually adjustable safety lens angle
By adjusting the temple in inclination the angle of the safety lens is adjustable for every face and every working situation.

OPTOR PLUS	38 g	GA 166 F CE	Softflex Fit
Product features	Weight	Marking - Frame	Temple technology

Features & Quick Info			
Easy fitting and adjustable temple	Permanent air circulation		
Very good coverage of the eye area	Integrated side protection		
Perfect protection with the additional adapter	Soft overlay for comfort fit		

FIG. No.	LENS Lens characteristics	FRAME CHARACTERISTICS				OPTOR PLUS Article number
		Temple colour	Frame	Lens sizes	Sheet	
[1]	Customised visual strength(s)	Turquoise Grey	Smoke	16 mm	54 mm	9401
[2]	Adapter for OPTOR PLUS	---	Black Grey	---	---	9401 777

OPTOR XXS PLUS

NEW

COMING SOON



The "Plus" in protection also for narrow faceshapes

Due to the additional soft adapter the "small" **OPTOR PLUS** in the **XXS-version** also offers strong protection for activities with heavy dirt development.



Softflex-Fit temples of the latest generation

All temples of the latest Optor series are individually adjustable in length, inclination and at the temple tip.



Even better coverage of the eye area
by the additional adapter



INFIELD® Safety GmbH
- Head Office -

✉ info@infield-safety.de
☎ +49 212 23234-0
📠 +49 212 23234-99

INFIELD Safety GmbH
Nordstraße 10a
D-42719 Solingen

www.infield-safety.com